# C40™ Climate Control Device

## Climate controlled supplied air.

The RPB C40 Climate Control Device allows you to optimize your comfort through controlling the temperature of your supplied air.

With its simple, sleek design, users can prevent the effects of heat exhaustion and chilling by cooling incoming air by up to 52°F (29°C), heating by up to 33°F (18°C), or adjusting it to any range in between, all by the slide of the lever. The C40 is the next step in maximizing you and your teams' comfort.



Protecting you for life's best moments.



### Features & Benefits C40™ Climate Control Device

The C40 heats and cools your supplied air to suit conditions in your workplace. Cool incoming air by up to 52°F (29°C) or alternately heat it by up Easily control your to 33°F (18°C) or any range in between, all by temperature with the just the slide of the lever. slide of a lever. Air inlet swivels 360° to sit comfortably on your hip. Made from lightweight, robust materials - weighs 11.6 ounces (329g), includes belt. Exhausted air is directed awau from your body, eliminating the need for a heat shield.

The C40 increases your safety and comfort, by keeping you at your optimum temperature, so you don't suffer heat exhaustion or chilling.

US Patent No. US 9.599.372.

# Want to know more? Contact us

rpbsafety.com/healthcare

Request a quote rpbsafety.com/healthcare/request-a-quote

Or call us toll-free at 1-866-494-4599





#### **⚠ WARNING**

#### **PRODUCT SELECTION**

- 1. Determine what type of protection is required for your activity. As applicable, check your workplace safety program, respiratory protection program, and standards and regulations for your activity or industry.
- **2. Check product specifications.** Contact RPB® or check the product instruction manual (downloadable from rpbsafety.com) for complete specifications, including approvals, standards, and regulations to which the product conforms.
- **3. Make sure you have a complete system.** Verify that you have or are purchasing all required components. System requirements are available from RPB® or in product instruction manuals.

Selecting inappropriate or incomplete equipment, including the use of counterfeit or non-RPB® parts, can result in inadequate protection and will void the NIOSH approval of the entire respirator.

#### opyright ©2022 RPB IP, LLC. All rights reserved

ill materials contained in this publication are protected by United States copyright law and may not be reproduced, distributed, transmitted, displayed, published or broadcast vithout the prior written permission of RPB IP, LLC. You may not alter or remove any trademark, copyright or other notice from copies of the content.

#### ademarks and Other Intellectual Property

The green and gray color combination is a registered trademark of RPB IP, LLC. All rights in the RPB Intellectual Property contained in this publication, including copyright, trademarks, service marks, trade secret, and patent rights are reserved. RPB Intellectual Property means any patent, patented articles, patent applications, designs, industrial designs, copyrights, software, source code, database rights, moral rights, inventions, techniques, technical data, trade secrets, know-how, brands, trademarks, trade names, stogans, togos, and any other common law and proprietary rights, whether registered or unregistered anywhere in the world, that are owned by, developed in whole or in part by, or licensed by RPB IP, LLC.

DuPont™ Tychem® is a registered trademark of E.I. du Pont de Nemours and Company or its affiliates.



Protecting you for life's best moments.