Z3

UNCOMPROMISED OUTLOOK





Protecting you for life's best moments.



UNCOMPROMISED OUTLOOK

The Z3 welding respirator combines RPB's high quality breathing principles with leading optical technology to modernize the classic welding visor.


Exceeding industry standards while delivering uncompromised comfort, the Z3 ensures you can perform at your best while receiving clean, filtered, breathable air. Constructed from high performance nylon, the Z3 can withstand extreme temperatures without distortion.

The Z3 includes a large RPB ADF lens with 1/1/1/1 optical quality rating guaranteeing uniform shading and distortion free vision, allowing you to work safely and more comfortably for longer across different angles.

The Z3 is certified to the standards below.







1-866-494-4599 | gvs-rpb.com





For more information please visit **rpbsafety.com/z3**Other packages include:





OPEN STATE

RPB OCV COLOR DEFINITION

The OCV Filter range offers superior color definition in both the open and activated state, allowing you to clearly see LED displays on machines and equipment, as well as heat definition on the actual weld.


CLOSED STATE RPB OCV OPTICAL QUALITY

The OCV filter boasts a 1/1/1/1 optical quality rating which is the world's best. This means a clear view from a wider range of angles, reducing eye faligue and increasing your productivity.










40% MORE VIEWING WITH THE RPB® OCV ULTRA ADF (110X110)

- Viewing Area: 10.1 square inches (3.78" x 2.68") Light state: Shade 4. Dark state: Selectable shades 9-13
- Fast, reliable switching speed: 0.15ms at 73°F / 23°C
- Adjustable delay from dark to light (0.2 to 0.8 seconds)
- Weight (ADF only): 5.64 oz / 160g Temperature range: 14°F to 140°F / -10°C to +60°C
- 3 year warranty
- 2 Sensors: it is the quality not the quantity of sensors that provide the fast reaction time of the filter
- Sensitivity and delay adjustment on case
- Highest quality wide view ADF available
- Constant UV/IR protection
- Accommodates standard 4" x 5" front cover lens
- Adapts to standard magnifying lens
- Best optical quality in the industry 1/1/1/1 DIN Rating
- Suitable for all types of electro-arc welding, including covered electrodes, MIG/MAG, TIG/WIG, plasma welding and culting.

NOT FOR LASER OR GAS WELDING.





Z3™ PARTS



SAR Breathing Tube Hose Washer (pk 5)

Part # NV2023



SAR Breathing Tube Part # 03-031



FR Breathing Tube Cover (Breathing Tube not included) Part # 04-854



PX5° Breathing Tube (for Z3™) Part # 04-832







Z3[™] PARTS



Z3"-PARTS (5) RESPIRATORS

Ultra Rear Lens (pk 10, 3.78" x 2.68" / 107mm x 71.5mm)
Part # 13-054






Impact Lens (pk 10) Part # 13-052



Outer Lens Frame Seals

Part # 13-051





Hard Hat (includes 13-045) Part # 13-326





Swivel Air Filting Elbow Part # 03-032



Head Harness





Hose Holder Part # 13-041



Comfort Padding (Sweat Band and Neck Pad)
Part # 13-043



Flex Face Seal Part # 13-323



